



Adobe Systems Incorporated

345 Park Avenue
San Jose, CA 95110-2704
Phone 408 536.3500
Fax 408 537.6000

July 1, 1999

Dear Adobe Customer,

This letter is a response to your inquiry about the impact of the year 2000 on Adobe® products. Adobe has designated the information in this letter as a "Year 2000 readiness disclosure" within the meaning of the U.S. Year 2000 Information and Readiness Disclosure Act.

Adobe software currently supports any date value set by the operating system. All date information, such as creation dates, modification dates, and time/date stamps, are generated using the date value provided by the operating system (e.g., Microsoft Windows, Apple Macintosh). The versions of Adobe software products listed on the attached "Adobe Products/Year 2000" and all subsequent releases of these products (if any), should be unaffected by the change to the year 2000 and will accurately represent date information within the constraints of the operating systems.

Please note that Adobe cannot review and test discontinued products or versions of Adobe products prior to those listed. If you have a prior version of a continued Adobe product and year 2000 compliance is critical to you, we strongly encourage you to upgrade to the current version. For upgrade information in the United States or Canada, please contact your local distributor or Adobe at (800) 833-6687. For international pricing, please contact your local distributor. Upgrade information for each product is also available at the respective product page on Adobe's web site (www.adobe.com).

Furthermore, Adobe cannot provide any warranties specific to year 2000 readiness because this matter depends on several factors, including software from other vendors, most particularly the operating system. Because Adobe software currently supports the date value set by the operating system, users should confirm that their operating systems are, or will be, year 2000 compliant. The limited warranty for Adobe products is defined in the end user license agreement for each Adobe product. The information provided herein does not constitute an extension of any such warranty.

Because of the large number of inquiries, Adobe cannot process customers' questionnaires or surveys relating to their particular Year 2000 compliance efforts. Lengthy surveys and written requests for detailed information generate a substantial amount of paper product. In an effort to conserve your expense and our natural resources, Adobe respectfully requests that you refrain from directing additional written inquiries, questionnaires, or surveys to our offices. This statement represents all of the information that we have at this time.

THIS INFORMATION IS BEING PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL OTHER LIMITATIONS ON LIABILITY CONTAINED IN THE APPLICABLE SOFTWARE PRODUCT END USER LICENSE AGREEMENT SHALL APPLY.

This statement, which reflects the most current information, can be accessed on our home page on the world wide web at <http://www.adobe.com> or through our telephone information line at (408) 536-3500.

Sincerely,

A handwritten signature in black ink, appearing to read "Bruce Chizen".

Bruce Chizen
Executive Vice President
Worldwide Products & Marketing

Adobe Products/Year 2000

The Adobe statement regarding year 2000 readiness of Adobe software products applies to all Adobe products currently shipping and those software products shipping as of January 1, 1999, as listed below. The Adobe Year 2000 statement is set forth in the letter from Adobe included on this web site.

If you are using an earlier version of an Adobe product that is not on this list, we recommend that you upgrade to the currently shipping version. Adobe cannot test discontinued products, prior versions of Adobe products or products no longer licensed by Adobe. If the product you are using is not on this list, it may be (i) a discontinued product, (ii) a product that is no longer owned or licensed by Adobe, (iii) a product that is distributed by another company, (iv) an earlier Adobe product that has been incorporated into another Adobe product or (v) a localized version of a product that is currently undergoing testing.

Adobe expects to complete its Year 2000 testing of localized versions of products by September 15, 1999. In addition, the Year 2000 readiness of all new products released in 1999 and early 2000 will be added to this list as such products are shipped by Adobe. Please check this list again if the language version of the product you are using is not listed.

In some few instances the Year 2000 testing performed on these products uncovered minor anomalies in the way a product represents date information. These exceptions do not impair the functionality of the product and are noted by an asterisk (*) in front of the product. At the end of this product list you will find a brief explanation of each exception and the suggested work around.

A special note on Adobe PostScript products that are embedded in PostScript Printer products:

The Adobe PostScript technology deliverable made by Adobe for PostScript printer products uses either the C-Exec or the VxWorks operating system, neither of which has any concept of calendar time or date. So there is no mechanism intrinsic to the operating system that could cause it to be sensitive to any particular date. Thus there is no mechanism intrinsic to the Adobe-supplied code that could cause it to be sensitive to any particular date and no method to set or change a date within the PostScript code.

Y2K Compliant Products

Adobe® Acrobat® (includes Acrobat, PDFWriter, Distiller®, Catalog and Acrobat Plugins)

(English, French, German, Japanese)

*Version 3.0x for Windows® 95 and Windows NT® 4.0

Version 3.0x for Macintosh OS 7.5.3, 8.1 and 8.5

(English)

*Version 3.0x for Unix®

(Dutch, Italian, Spanish, Swedish)

*Version 3.0x for Windows 95, Windows® 98, and Windows NT 4.0

Version 3.0x for Macintosh OS 8.1 and 8.5

(English, French, German, Japanese)

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 7.5.5, 7.6.1, 8.1, 8.5.1 and 8.6

(Brazilian Portuguese, Chinese Simplified, Chinese Traditional, Dutch, Italian, Korean, Spanish, Swedish)

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 8.1 and 8.5.1

Adobe Acrobat Capture®

(English, French, German)

Version 2.01 for Windows 95, Windows 98 and Windows NT 4.0

Adobe Acrobat® Reader

(English, French, German, Japanese)

Version 3.0x for Windows 95 and Windows NT 4.0

Version 3.0x for Macintosh OS 7.5.3, 8.1 and 8.5

(English)

Version 3.0x for Unix

(Dutch, Italian, Spanish, Swedish)

Version 3.0x for Windows 95, Windows 98, and Windows NT 4.0

Version 3.0x for Macintosh OS 8.1 and 8.5

(English, French, German, Japanese)

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 7.5.5, 7.6.1, 8.1, 8.5.1 and 8.6

(Chinese Simplified, Chinese Traditional, Dutch, Italian, Korean, Spanish, Swedish)

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 8.1 and 8.5.1

Adobe Acrobat Server

(English)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Adobe ActiveShare™

(English, French, German, Japanese, Italian, Spanish, Brazilian Portuguese, Korean, Chinese Simplified, and Chinese Traditional)

Version 1.0 for Windows 98

(English, French, German, Japanese, Italian, Spanish, Dutch, Swedish, Brazilian Portuguese, Korean, Chinese Simplified, and Chinese Traditional)

Version 1.1 for Windows 98

Version 1.2 for Windows 98

Adobe Document Server

(English, French, German)

Version 1.0 for Windows NT 4.0 with Microsoft Internet Information Server 4.0

Version 1.0 for Windows NT 4.0 with Netscape Enterprise Server 3.51

Version 1.0 for Sun Solaris 2.6 with Netscape Enterprise Server 3.51

Adobe After Effects®

(English, French, German, Japanese)

*Version 3.1.x for Windows 95, Windows 98 and Windows NT 4.0

Version 3.1.x for Macintosh OS 7.6.1, 8.0, 8.1 and 8.5.1

Version 4.0 for Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 7.6.1, 8.0, 8.1 and 8.5.1

Version 4.1 for Windows 98 and Windows NT 4.0

Version 4.1 for Macintosh OS 8.1 and 8.5.1

Adobe Camelot

(English)

PostScript® version 3011.101 and 3010.107 for Solaris™

PostScript version 3011.101 and 3010.107 for Intel® NT

Adobe CPSI

(English)

PostScript version 3011.101 and 3010.107 for Solaris

PostScript version 3011.101 and 3010.107 for Intel® NT

Adobe Circulate™ (Production Bundle only)

(English, French, German, Italian, Spanish)

Version 1.0 for Windows 95, Windows 98, Windows NT 4.0

Adobe Circulate

(English)

Version 1.1 for Windows 95, Windows 98, Windows NT 4.0 and Windows 2000

Version 1.1 for Macintosh OS 7.6.1, 8.1, and 8.5.1

Adobe Dimensions®

(English, French, German, Japanese)

Version 3.0 for Windows 95, Windows 98, Windows NT 4.0

Version 3.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Adobe Extreme™ 15

(English)

Version 15 for Windows NT 4.0

Adobe Font Folio™

(English, French, German)

Version 8.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 8.0 for Macintosh OS 7.6.1, 8.1 and 8.5.1

Adobe FrameMaker® +SGML

(English, French, German, Japanese)

Version 5.5.6 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.5.6 for Macintosh OS 7.5.5, 7.6.1, 8.0, 8.1 and 8.5.1

Version 5.5.6 for SunOS™ 4.1.3_UI or greater, HP-UX 10.20, IBMAIX® 4.1.3 or greater and Silicon Graphics® IRIX™ 6.2 or greater

Adobe FrameMaker

(English, French, German, Japanese)

Version 5.5.6 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.5.6 for Macintosh OS 7.5.5, 7.6.1, 8.0, 8.1 and 8.5.1

Version 5.5.6 for SunOS 4.1.3_UI or greater, HP-UX 10.20, IBMAIX 4.1.3 or greater and Silicon Graphics IRIX 6.2 or greater

Adobe FrameViewer®

(English)

Version 5.5.6 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.5.6 for Macintosh OS 7.5.5, 7.6.1, 8.0, 8.1 and 8.5.1

Version 5.5.6 for SunOS 4.1.3_UI or greater, HP-UX 10.20, IBMAIX 4.1.3 or greater and Silicon Graphics IRIX 6.2 or greater

Adobe FrameViewer Retrieval Tools

(English)

Version 5.5 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.5 for Macintosh OS 7.5.5, 7.6.1, 8.0, 8.1 and 8.5.1

Version 5.5 for SunOS 4.1.3_UI or greater, HP-UX 10.20, IBMAIX 4.1.3 or greater and Silicon Graphics IRIX 6.2 or greater

Adobe GoLive™

(English, French, German)

Version 4.0 for Windows 98 and Windows NT 4.0 (Service Pack 4 or higher)

Version 4.0 for Macintosh OS 8.5.1

(English, French, German, Japanese)

Version 4.0.1 for Windows 98 and Windows NT 4.0

Version 4.0.1 for Macintosh OS 8.5.1

Adobe Illustrator®

(English, French, German, Japanese)

Version 8.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 8.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Version 8.0.1 for Windows 95, Windows 98 and Windows NT 4.0

Version 8.0.1 for Macintosh OS 8.1, 8.5 and 8.5.1

(Traditional Chinese)

Version 7.0 for Macintosh OS 8.1 and 8.5.1

Version 7.0 for Windows95, Windows 98 and Windows NT 4.0

Version 8.0 for Macintosh OS 8.1 and 8.5.1

Version 8.0 for Windows95, Windows 98 and Windows NT 4.0

(Simplified Chinese)

Version 5.0.1 for Macintosh OS 8.5.1

(Korean)

Version 7.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 7.0 for Macintosh OS 8.1 and 8.5.1

Version 8.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 8.0 for Macintosh OS 8.1 and 8.5.1

(English)

Version 5.5 for Solaris 2.3 or greater and Silicon Graphics IRIX 5.3 or greater

Adobe ImageReady™

(English, French, German, Japanese)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 1.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Version 2.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 2.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Adobe ImageStyler™

(English, French, German, Japanese)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 1.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Adobe InDesign™

(English, French, German, Japanese)

Version 1.0 for Windows 98 and Windows NT 4.0

Version 1.0 for Macintosh OS 8.5 and 8.5.1

Adobe PageMaker®

(English, French, German, Japanese)

Version 6.5 for Windows 95, Windows 98 and Windows NT 4.0

Version 6.5 for Macintosh OS 7.6, 8.0, 8.1 and 8.5.1

Version 6.5+ for Windows 95, Windows 98 and Windows NT 4.0

Version 6.5+ for Macintosh OS 7.6, 8.0, 8.1 and 8.5.1

(Chinese Simplified)

Version 6.0 for Macintosh OS 8.1 and 8.5.1

Version 6.0 for Windows 95 and Windows 98

(Chinese Traditional)

Version 6.5 for Macintosh OS 8.1 and 8.5.1

Version 6.5 for Windows 95, Windows 98 and Windows NT 4.0

(Brazilian Portuguese, Korean)

Version 6.5.2 for Macintosh OS 8.1 and 8.5.1

Version 6.5.2 for Windows 95, Windows 98 and Windows NT 4.0

Adobe PageMill®

(English, French, German, Japanese)

Version 3.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 3.0 for Macintosh OS 8.1 and 8.5.1

Adobe PhotoDeluxe® Business Edition

(English, French, German, Japanese)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 1.1 for Windows 95, Windows 98 and Windows NT 4.0

(Chinese Traditional, Korean)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Adobe PhotoDeluxe Home Edition

(English, French, German, Japanese)

Version 2.0 for Macintosh OS 7.6.1, 8.0 and 8.5

Version 3.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 3.1 for Windows 95, Windows 98 and Windows NT 4.0

(Chinese Simplified, Chinese Traditional, Korean)

Version 3.0 for Windows 95, Windows 98 and Windows NT 4.0

Adobe Photoshop®

(English, French, German, Japanese)

Version 5.5 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.5 for Macintosh OS 8.1, 8.5 and 8.5.1

(English, French, German, Japanese, Korean, Brazilian Portuguese)

Version 5.0.2 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.0.2 for Macintosh OS 8.1 and 8.5.1

(Chinese Traditional)

Version 4.0 for Macintosh OS 8.1 and 8.5.1

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.0 for Macintosh OS 8.1 and 8.5.1

Version 5.0 for Windows 95, Windows 98 and Windows NT 4.0

(Korean)

Version 4.0 for Macintosh OS 8.1 and 8.5.1

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

(English)

Version 3.0.1 for Solaris 2.5 and Silicon Graphics IRIX 6.2 or greater

AdobePS™ 4.x Driver

(Brazilian Portuguese, Danish, Dutch, English, Finnish, French, German, Italian, Japanese, Norwegian, Spanish, Swedish)

Version 4.3 for Windows 95 and Windows 98

(Brazilian Portuguese, Chinese Simplified, Chinese Traditional, English, French, German, Italian, Japanese, Korean, Spanish)

Version 4.2.4 for Windows 95 and Windows 98

Version 4.2.5 for Windows 95 and Windows 98

Version 4.2.6 for Windows 95 and Windows 98

(Brazilian Portuguese, Chinese Simplified, Chinese Traditional, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Japanese, Korean, Spanish)

Version 4.3.1 for Windows 95 and Windows 98

AdobePS 5.x Driver

(Brazilian Portuguese, Dutch, English, French, German, Italian, Spanish)

Version 5.0.1 for Windows NT 4.0

(Brazilian Portuguese, Danish, Dutch, English, French, Finnish, German, Italian, Japanese, Norwegian, Spanish, Swedish)

Version 5.1 for Windows NT 4.0

Version 5.1.1 for Windows NT 4.0

AdobePS 8.x Driver

(English, French, German)

Version 8.5.1 for Macintosh OS 7.5.5, 7.6, 7.6.1, 8.0, 8.1, 8.5 and 8.5.1

(Brazilian Portuguese, Chinese Simplified, Chinese Traditional, Italian, Korean, Spanish)

Version 8.5.1 for Macintosh OS 8.1 and 8.5.1

(Japanese)

Version 8.5.2 for Macintosh 7.5.5, 7.6, 7.6.1, 8.0, 8.1, 8.5 and 8.5.1

(English, French, German, Japanese)

Version 8.6 for Macintosh OS 7.5.5, 7.6, 7.6.1, 8.0, 8.1, 8.5 and 8.5.1

(Brazilian Portuguese, Danish, Dutch, Finnish, Italian, Norwegian, Spanish, Swedish)

Version 8.6 for Macintosh OS 8.1 and 8.5.1

Adobe Premiere®

(English, French, German, Japanese)

Version 5.1 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.1 for Macintosh OS 8.1 and 8.5.1

(Spanish)

Version 5.0 for Windows 98 and Windows NT 4.0

Version 5.0 for Macintosh OS 8.5

Version 5.1 for Windows 98 and Windows NT 4.0

Version 5.1 for Macintosh OS 8.5

Adobe PressReady™

(English)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 1.0 for Macintosh OS 7.6.1, 8.1, 8.5.1

Adobe Print Gear®

(English)

Version 1.2 for Windows 98

Adobe Streamline™

Version 4.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 4.0 for Macintosh OS 8.1, 8.5 and 8.5.1

Adobe Type Basics

(English, French, German)

Version 3.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.0 for Macintosh OS 7.6.1, 8.1 and 8.5.1

Adobe Type Composer

(Japanese)

Version 1.1 for Macintosh OS 7.6.1, 8.1 and 8.5.1

Adobe Type Library

(English, French, German)

Version 3.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 5.0 for Macintosh OS 7.6.1, 8.1 and 8.5.1

(Japanese)

Version 2.0 for Macintosh OS 7.5.5, 7.6, 8.1 and 8.5.1

Adobe Type Library (Kozuka Mincho™ Combo Pack)

(Japanese)

Version 2.0 for Macintosh OS 7.6, 8.1 and 8.5.1

Adobe Type Library Value Pack (Heisei Fonts)

(Japanese)

Version 2.0 for Macintosh OS 7.6.1, 8.1, 8.5 and 8.5.1

Adobe Type Manager® Deluxe

(English, French, German)

Version 4.0 for Windows NT 4.0

Version 4.0 for Windows 95 and Windows 98

(English, French, German, Japanese)

Version 4.0.3 for Macintosh OS 7.5.5, 7.6.1, 8.1, 8.5 and 8.5.1

Version 4.5 for Macintosh OS 7.5.5, 7.6.1, 8.1, and 8.5.1

Adobe Type Manager Light

(English, French, German)

Version 4.0 for Windows NT 4.0
Version 4.0 for Windows 95 and Windows 98
(English, French, German, Japanese)
Version 4.0.3 for Macintosh OS 7.5.5, 7.6.1, 8.1, 8.5 and 8.5.1
Version 4.5 for Macintosh OS 7.5.5, 7.6.1, 8.1, and 8.5.1
(English)
Version 3.02 for Windows 95

Adobe Type Manager
(Japanese)

Version 3.2 for Windows 95 and Windows 98

Adobe Type on Call®
(English, French, German)

*Version 4.2 for Windows 95, Windows 98 and Windows NT 4.0

*Version 4.2 for Macintosh OS 7.5.5, 7.6.1, 8.1 and 8.5.1

(Japanese)

Version 1.0 for Windows 95

Adobe Type Reunion® Deluxe
(English, French, German, Japanese)

Version 2.0.3 for Macintosh OS 7.5.5, 7.6.1, 8.1 and 8.5.1

Version 2.5 for Macintosh OS 7.5.5, 7.6.1, 8.1 and 8.5.1

Adobe Type Utilities

Keycap

(English, French, German)

Version 1.1 for Macintosh OS 7.6.1, 8.1 and 8.5.1

KMT (Cyrillic Keyboard Layouts)

(English, French, German)

Version 1.0 for Macintosh OS 7.6.1, 8.1 and 8.5.1

Downloader

(English, French, German)

Version 5.0.5 for Macintosh OS 7.6.1, 8.1 and 8.5.1

PCSend

(English, French, German)

Version 1.51 for Windows 95/Dos, Windows 98/Dos and Windows NT 4.0/Dos

Adobe Web Type™

(English, French)

Version 1.0 for Windows 95, Windows 98 and Windows NT 4.0

Version 1.0 for Macintosh OS 7.6.1, 8.1 and 8.5.1

Kodak Picture CD**(English)**

Version 1.1 for Windows 95, Windows 98 and Windows NT 4.0

Version 2.2 for Windows 95, Windows 98 and Windows NT 4.0

Version 2.4 for Windows 95, Windows 98 and Windows NT 4.0

Kodak Picture CD**(English, German)**

Version 2.1 for Windows 95, Windows 98 and Windows NT 4.0

Kodak Picture CD**(English, French, German)**

Version 2.3 for Windows 95, Windows 98 and Windows NT 4.0

Products with Exceptions**Adobe Type on Call 4.2 Windows exception:**

Type on Call Purchaser Payment Information considers post-1999 dates to be invalid and will not allow them to be saved.

Workaround:

Enter 1999 or 99 and then correct the printed fax order form by hand prior to faxing the order.

Adobe Type on Call 4.2 Macintosh exception:

Type on Call Purchaser Payment Information allows Y2K two-digit years to be entered, but when saved it displays them with the prefix 19 instead of 20.

Workaround:

Enter the Y2K full four-digit year/date and it will be displayed correctly.

Adobe Acrobat Distiller 3.0x exception:

Distiller 3.0x for Windows® and UNIX® platforms, when run by itself after December 31, 1999, puts an incorrect date in the internal Document Information Creation Date field of the PDF file.

Suggestion:

For Windows, upgrade to Acrobat 4.0.

For UNIX, a patch to correct this problem will be posted shortly.

Adobe After Effects 3.1.x Windows exception:

Does not correctly calculate Year 2000 as a leap year after 2/29/00. Dates off by 1 day in display.

Workaround:

Upgrade to After Effects 4.0.

Adobe, the Adobe logo, Acrobat, Acrobat Capture, Acrobat Exchange, Adobe Dimensions, Adobe Font Folio, Adobe PhotoDeluxe, Adobe Type Manager, AdobePS, After Effects, Distiller, Extreme, FrameMaker, FrameViewer, GoLive, Illustrator, ImageReady, ImageStyler, Kozuka Mincho, PageMaker, PageMill, Photoshop, PostScript, Streamline, Type on Call and Type Reunion are trademarks of Adobe Systems Incorporated. Macintosh is a trademark of Apple Computer, Inc., registered in the United States and other countries. AIX is a registered trademark of IBM Corporation in the United States. Intel is a registered trademark of Intel Corporation. Windows and Windows NT are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Silicon Graphics is a registered trademark and IRIX is a trademark of Silicon Graphics, Inc. Solaris, Sun and SunOS are trademarks or registered trademarks of Sun Microsystems, Inc., in the United States and other countries. UNIX is a registered trademark of the Open Group. All other trademarks are the property of their respective owners.